Syst. Zool., 39(4):429–434, 1990

Index for Volume 39 (1990)

COMPILED BY TROY L. BEST

Actinopterygii, 253–265
Adaptation: statistics and a null model for estimating phylogenetic effects, John L. Gittleman and Mark Kot, 227–241
Affine transformations, 40–59
Agamidae, 318, 319
Agaonidae, 296
Agrotis, 408
Aho, J., see Esch, G., —
Allozymes, 148–161
Ammodramus, 148–161
  aurifrons, 149
  bairdii, 149
  caudacutus, 149
  henslowii, 149
  humeralis, 149
  leconteii, 149
  maritimus, 149
  savannarum, 149
Ammospiza, 159
Amphilina
  foliacea, 15–17
  japonica, 14–17
Analysis,
  bootstrap, 383–390
  Brooks parsimony, 14–30, 323–344
  comparative, 192–204
  component, 205–226
  multidimensional, 242–252
  parsimony, 345–361
  spatial, 371–382
  taxon-free, 371–382
  theta-rho, 40–59
  transformation series, 277–288
Anolis sagrei, 31–39
Anthropoides, 386
Archaeopteryx, 314, 315
Archie, James W., Homoplasy excess statistics and retention indices: a reply to Farris, 169–174
Asteraceae, 416
Astragalus, 416
Asymmetrical interior nodes, 89–94
Autoregressive models, 227–241
Avise, John C., see Zink, Robert M., and —

Bailey, Robert C., and Janice Byrnes, A new, old method for assessing measurement error in both univariate and multivariate morphometric studies, 124–130
Balearica, 386
Betula, 323, 341, 343
  coerulea, 342
  davurica, 342
  fontinalis, 342
  papyrifera, 342
  pendula, 342
  platyphylla, 342
  populifolia, 342
  pubescens, 342
Biogeography, 14–30, 205–226
Bledsoe, Anthony H., see Raikow, Robert J., —
Blennies, 109–123
Bootstrap analysis, 205–226, 383–390
Bootstrap analysis of phylogenetic trees derived from DNA hybridization distances, Carey Krajewski and Allan W. Dickerman, 383–390
Brooks, Daniel R., Parsimony analysis in historical biogeography and coevolution: methodological and theoretical update, 14–30
Brooks, Daniel R., review by, 300–301
Brooks parsimony analysis, 14–30, 323–344
Bufo marinus, 128
Bugeranus, 386
Bush, A., see Esch, G., —
Byrnes, Janice, see Bailey, Robert C., and —

Calyptomena viridis, 368
Canidae, 235
Cardinalis cardinalis, 362–370
Carpenter, James M., Of genetic distances and social wasps, 391–397
Cebus apella, 62, 63, 65
Cercis, 136
Chamaeleonidae, 318, 319
Chewing lice, 192–204, 205–226
Cipangopaludina chinensis, 125
Cladistics, 148–161, 205–226
Cladogram characters, 277–288
Classification, 1–13
Classifications, comparing, 266–276
Cnemidophorus, 70, 76
  velox, 77
Coevolution, 14–30, 323–344
  host-parasite, 162–168, 192–204
Comparative methods, 227–241
Comparing classifications, 266–276
Component analysis, 205–226
Computer simulation, 371–382
Congruence, 205–226
Consensus method, 1–13
Cospeciation, 192–204, 205–226
Cospeciation in host-parasite assemblages: comparative analysis of rates of evolution and timing of cospeciation events, Mark S. Hafner and Steven A. Nadler, 192–204

Definition, 307–322
de Queiroz, Kevin, and Jacques Gauthier, Phylogeny as a central principle in taxonomy: phylogenetic definitions of taxon names, 307–322
Desmond, A., The politics of evolution: morphology, medicine, and reform in radical London (rev.), 303–304
Diagnosis, 307–322
Dickerman, Allan W., see Krajewski, Carey, and —
Dipodomys ordii, 197, 203
Diversification, 371–382
DNA-DNA hybridization, 383–390
DNA hybridization distances, 383–390
DNA substitution, 345–361
Downes, Barbara J., Host-induced morphology in mites: implications for host-parasite coevolution, 162–168
Drosophila, 84, 85, 109, 172, 409
melanogaster, 405, 408
pseudoobscura, 83, 405

Early Paleozoic, 371–382
Echelle, Anthony A., Nomenclature and non-Mendelian ("clonal") vertebrates, 70–78
Ecsenius, 117–121
Editorial comment: the impact of *Systematic Zoology*, David M. Hillis, 187–191
Enchenopa, 136
binotata, 135
Endler, John A., see Otte, Daniel, and —
Esch, G., A. Bush, and J. Aho (eds.), Parasite communities: patterns and processes (rev.), 300–301
Euphorbia, 296
Euphorbiaceae, 296
Euphydryas
chalcedona, 134–136
editha, 134–136
Eurylaimidae, 368
Euxoa, 408
Evolutionary rates, 109–123
Extensions of the Procrustes method for the optimal superimposition of landmarks, F. James Rohlf and Dennis Slice, 40–59

Fabaceae, 416
Farris, James S., Haeckel, history, and Hull, 81–88
Farris on Haeckel, history, and Hull, David L. Hull, 397–399
Felidae, 235
Ficus, 295, 296
Flexible phylogeny reconstruction: a review of phylogenetic inference packages using parsimony (software rev.), 414–420
Foote, Mike, Nearest-neighbor analysis of trilobite morphospace, 371–382

Gauthier, Jacques, see de Queiroz, Kevin, and —
Genetic
distances, 192–204, 391–397
isolation, 131–147
population structure, 131–147
variation, 242–252
Genetic distances and social wasps, of, James M. Carpenter, 391–397
Geographic structure, 242–252
Geomydoecus, 206
actuosi, 198, 199, 204, 210, 213–215, 218, 220
chapini, 199, 204, 207, 210, 216
cherriei, 199, 204, 210, 216, 219, 220, 223
costaricensis, 199, 204, 210, 216, 219, 223
ewingi, 199, 204, 210, 213
panamensis, 199, 204, 210, 215, 216, 219, 223
setzeri, 198, 199, 204, 210, 213, 215, 216, 218–221, 223, 225
thomomyus, 198, 199, 204, 210, 213–215, 218, 220
yucatanensis, 204, 207
Geomyidae, 196, 203
Geomys, 206
bursarius, 199, 203, 209, 213, 225
Ghiselin, 79–80
Gigantolina
elongata, 15–17
magna, 15, 17
Gittleman, John L., and Mark Kot, Adaptation: statistics and a null model for estimating phylogenetic effects, 227–241
Gobiidae, 253–265
Goldman, Nick, Maximum likelihood inference of phylogenetic trees, with special reference to a Poisson process model of DNA substitution and to parsimony analyses, 345–361
Goniobasis proxima, 127
Gorilla, 386–388, 390
Gossypium
amourianum, 291
aridum, 291
gossypioides, 291
klotzschianum, 290, 291
raimondii, 290, 291
thurberi, 291
tomentosum, 291
tribolum, 291
Gruidae, 386
Grus
americana, 386
leucogeranus, 386
monachus, 386
Gryllus, 135
pennsylvanicus, 134, 136
veletis, 134, 136

Haeckel, 81–88, 397–399
Haeckel, history, and Hull, James S. Farris, 81–88
Hafner, Mark S., and Steven A. Nadler, Cospeciation in host-parasite assemblages: comparative analysis of rates of evolution and timing of cospeciation events, 192–204
Hamamelidae, 416
Hedges, S. Blair, review by, 95–96
Heliconius, 145
Hennig86, 414–420
Heterandria, 205, 292
Heterochrony, 253–265
Heteromyidae, 197, 203
Hillis, David M., Editorial comment: the impact of *Systematic Zoology*, 187–191
Homo, 84, 85, 386, 387, 390
sapiens, 83
Homoplasy excess statistics and retention indices: a reply to Farris, James W. Archie, 169–174

Host-induced morphology in mites: implications for host-parasite coevolution, Barbara J. Downes, 162–168
Host-parasite coevolution, 162–168, 192–204
Hull, 81–88, 397–399
Hull, David L., Farris on Haeckel, history, and Hull, 397–399
Hull, David L., review by, 420–423
Humphries, 288–299
Hyaenidae, 235
Hybrid zone, 131–147, 242–252
Hylocichla mustelina, 362–370

Iguanidae, 319
Individual variation in avian muscles and its significance for the reconstruction of phylogeny, Robert J. Raikow, Anthony H. Bledsoe, Beth A. Myers, and Charles J. Welsh, 362–370
Insect-host plant relations, 323–344
Interspecific variability in randomly evolving clades: models for testing hypotheses on the relative evolutionary flexibility of quantitative traits, C. Vogl and G. P. Wagner, 109–123
Iterative FIG/FOG method, 277–288

Juglans, 136

Kangaroo, 1–13
Kot, Mark, see Gittleman, John L., and —
Krajewski, Carey, and Allan W. Dickerman, Bootstrap analysis of phylogenetic trees derived from DNA hybridization distances, 383–390
Kuehneosauridae, 312

Lambert, D. M., see Michaux, B., —
Lambert, D. M., see White, C. S., —
Lapointe, François-Joseph, and Pierre Legendre, A statistical framework to test the consensus of two nested classifications, 1–13
Least-squares, 40–59
Lee, Julian C., Sources of extraneous variation in the study of meristic characters: the effect of size and of inter-observer variability, 31–39
Legendre, Pierre, see Lapointe, François-Joseph, and —
Lele, Subhash, and Joan T. Richtsmeier, Statistical models in morphometrics: are they realistic?, 60–69
Lepidoptera, 131–147
Lessa, Enrique P., Multidimensional analysis of geographic genetic structure, 242–252
Limenitis, 131–147
  arthemis, 146
  camilla, 145
  lorquini, 131, 137–141, 144–146
  weidemeyerii, 131, 137–141, 144, 145
Limited permutations, 1–13
Linearly-ordered character states, 175–178
Lipscomb, Diana L., Two methods for calculating cladogram characters: transformation series analysis and the iterative FIG/FOG method, 277–288

Macaca
  fascicularis, 62, 63, 65
  mulatta, 239
Macropodidae, 1–13
Macropus, 10, 11
Maddison, Wayne, and Montgomery Slatkin, Parsimony reconstructions of ancestral states do not depend on the relative distances between linearly-ordered character states, 175–178
Maximum likelihood inference of phylogenetic trees, with special reference to a Poisson process model of DNA substitution and to parsimony analyses, Nick Goldman, 345–361
Measurement
  error, 124–130
  imprecision, 383–390
Meetings of the International Commission on Zoological Nomenclature, Jay M. Savage, 424–425
Megapolistes, 392, 396
Melospiza, 156
Menidia, 77
Meristic accuracy, 31–39
Method,
  comparative, 227–241
  consensus, 1–13
  iterative FIG/FOG, 277–288
  measurement error, 124–130
  parsimony analysis, 14–30
  Procrustes, 40–59
Michaux, B., C. S. White, and D. M. Lambert, Organisms not species evolve: a reply to Ghiselin, 79–80
Michaux, B., see White, C. S., —
Mites, 162–168
Mitochondrial DNA, 148–161
Model,
  autoregressive, 227–241
  estimating phylogenetic effects, 227–241
  n-trees, 89–94
  perturbation, 60–69
  Poisson process, 345–361
  statistical, 60–69
  testing, 109–123
Model II ANOVA/ANCOVA, 124–130
Models for linear distances, 60–69
Molecular clock, 205–226
Moraceae, 296
Morphology, 31–39
  host-induced, 162–168
Morphometrics, 40–59, 124–130, 371–382
  statistical models, 60–69
Multidimensional analysis of geographic genetic structure, Enrique P. Lessa, 242–252
Multidimensional scaling, 242–252
Mustelidae, 235
Myers, Beth A., see Raikow, Robert J., —
Myiozetetes similis, 364, 367, 369
Myology, 362–370

Nadler, Steven A., see Hafner, Mark S., and —
Nearest-neighbor analysis of trilobite morphospace, Mike Foote, 371–382
Nelson, Gareth, review by, 303–304
Neo-Darwinism, 399–413
Neotrichodectes mephitidis, 197, 204
Neotropical birds, 14–30
Nested tree, 1–13
New, old method for assessing measurement error in

both univariate and multivariate morphometric studies, a, Robert C. Bailey and Janice Byrnes, 124–130
Nm, 131–147
Noctuidae, 408
Nomenclature, 70–78, 307–322
Nomenclature and non-Mendelian ("clonal") vertebrates, Anthony A. Echelle 70–78
Nototodarus, 127, 128
Nylin, Sören, see Ronquist, Fredrik, and —
Nymphalidae, 131–147

Ondatra zibethicus, 128
Organisms not species evolve: a reply to Ghiselin, B. Michaux, C. S. White, and D. M. Lambert, 79–80
Orthogeomys, 206, 207
cavator, 199, 203, 209, 213, 215–218, 223
cherriei, 198, 199, 203, 209, 213, 215, 216, 218, 220, 221, 223, 225
heterodus, 199, 203, 209, 213, 215, 216, 223
hispidus, 199, 203, 209, 212, 213
underwoodi, 198, 199, 203, 209, 213, 215–218, 223
Oryctolagus cuniculus, 63, 64
Otte, Daniel, and John A. Endler (eds.), Speciation and its consequences (rev.), 95–96

Page, Roderic D. M., Temporal congruence and cladistic analysis of biogeography and cospeciation, 205–226
Page, Roderic D. M., Tracks and trees in the Antipodes: a reply to Humphries and Seberg, 288–299
Palaeagama, 311, 312
Paliguana, 311, 312
Pan, 386–388
paniscus, 390
troglodytes, 390
Pandemis limitata, 408
Papilio, 144
Parapolybia indica, 392
Parsimony
analysis, 14–30, 345–361
mapping, 323–344
Parsimony analysis in historical biogeography and coevolution: methodological and theoretical update, Daniel R. Brooks, 14–30
Parsimony reconstructions of ancestral states do not depend on the relative distances between linearly-ordered character states, Wayne Maddison and Montgomery Slatkin, 175–178
Passer domesticus, 364, 367, 369
Passerculus sandwichensis, 149, 152
Passerella iliaca, 127
Passerine birds, 362–370
Patterns of mitochondrial DNA and allozyme evolution in the avian genus *Ammodramus*, Robert M. Zink and John C. Avise, 148–161
PAUP, 414–420
Pease, Craig M., review by, 301–303
Permutation test, 1–13
Perturbation models, 60–69
Petrogale, 11
Phenetics, 148–161
Phoxinus, 71
PHYLIP, 414–420
Phylogenetic
correlation, 227–241
effects, 227–241
inference, 345–361
Phylogenetics, 362–370
Phylogenies, random, 109–123
Phylogeny, 253–265, 307–322
reconstruction, 148–161
Phylogeny as a central principle in taxonomy: phylogenetic definitions of taxon names, Kevin de Queiroz and Jacques Gauthier, 307–322
Pieris, 144
Pionopsitta
aurantiigena, 25, 27
barrabandi, 25, 27
caica, 25, 27
coccinicollaris, 25, 27
haematotis, 25, 27
pileata, 25–27
pulchra, 25, 27
pyrilia, 25, 28
vulturina, 25, 27
Plagiorchis noblei, 166
Pleistocene refugia theory, 14–30
Pocket gophers, 192–204, 205–226
Podisma pedestris, 135, 136
Poecilia formosa, 74
Poeciliopsis, 71, 73, 74
lucida, 75
monacha, 75
monacha-lucida, 75, 76
viriosa, 76
Poisson process model, 345–361
Polistella, 392, 395, 396
Polistes, 396, 408
chinensis, 392
jadwigae, 392
japonicus, 392
mandarinus, 392
riparius, 392
rothneyi, 392, 395
snelleni, 392
Pongo, 386, 390
Porter, Adam H., Testing nominal species boundaries using gene flow statistics: the taxonomy of two hybridizing admiral butterflies (*Limenitis*: Nymphalidae), 131–147
Precision, 31–39
Priolepis, 254
Priority, 307–322
Probabilities of n-trees under two models: a demonstration that asymmetrical interior nodes are not improbable, Joseph B. Slowinski, 89–94
Process and pattern in the evolution of species associations, Fredrik Ronquist and Sören Nylin, 323–344
Procyonidae, 235
Progenesis, 253–265
Pteroglossus
azara, 25, 27
bitorquatus, 25, 27
flavirostris, 25, 27
humboldti, 25, 27
inscriptus, 25, 27
mariae, 25, 27

reichenowi, 25, 27
sturmii, 25, 27
viridis, 25, 27

Raikow, Robert J., Anthony H. Bledsoe, Beth A. Myers, and Charles J. Welsh, Individual variation in avian muscles and its significance for the reconstruction of phylogeny, 362–370
Rana
esculenta, 71, 74, 75
lessonae, 75
ridibunda, 75
Random phylogenies, 109–123
Randomization tests, 205–226
Rates of evolution, 192–204
Report of society business for 1988, 97–100
Report of society business for 1989, 101–106
Resistant-fit, 40–59
Richtsmeier, Joan T., see Lele, Subhash, and —
Rohlf, F. James, and Dennis Slice, Extensions of the Procrustes method for the optimal superimposition of landmarks, 40–59
Ronquist, Fredrik, and Sören Nylin, Process and pattern in the evolution of species associations, 323–344
Ropalidia fasciata, 392
Rotational fit, 40–59

Sagittarius serpentarius, 402
Sanderson, Michael J., software review by, 414–420
Saurosternon, 311, 312
Savage, Jay M., Meetings of the International Commission on Zoological Nomenclature, 424–425
Schizochoerus
africanus, 14–16
janickii, 15, 17
liguloideus, 15–17
paragonopora, 15, 17
Scott-Ram, N. R., Transformed cladistics, taxonomy and evolution (rev.), 420–423
Seberg, 288–299
Selenidera
culik, 25, 27
gouldii, 25, 27
langsdorffi, 25, 27
maculirostris, 25, 26, 28
nattereri, 25, 27
reinwardtii, 25, 27
spectabilis, 25, 27
Semudobia, 323
betulae, 342
brevipalpis, 342
skuhravae, 341, 342
steenisi, 342
tarda, 342
Setonix, 11
Shao, Kwang-Tsao, and Robert R. Sokal, Tree balance, 266–276
Slatkin, Montgomery, see Maddison, Wayne, and —
Slice, Dennis, see Rohlf, F. James, and —
Slowinski, Joseph B., Probabilities of n-trees under two models: a demonstration that asymmetrical interior nodes are not improbable, 89–94
Social wasps, 391–397
Sokal, Robert R., see Shao, Kwang-Tsao, and —
Sources of extraneous variation in the study of meristic characters: the effect of size and of interobserver variability, Julian C. Lee, 31–39
Spatial analysis, 371–382
Speciation and its consequences (rev.), Daniel Otte and John A. Endler (eds.), 95–96
Species and neo-Darwinism, C. S. White, B. Michaux, and D. M. Lambert, 399–413
Species associations, 323–344
Sphenodon, 310
Statistical framework to test the consensus of two nested classifications, a, François-Joseph Lapointe and Pierre Legendre, 1–13
Statistical models in morphometrics: are they realistic?, Subhash Lele and Joan T. Richtsmeier, 60–69
Statistical test, 1–13
Sulcopolistes, 396
Synonymy, 307–322
Systematics: an endangered species, Peter Whitehead, 179–184

Taxon-free analysis, 371–382
Taxonomy, 307–322
Temporal congruence and cladistic analysis of biogeography and cospeciation, Roderic D. M. Page, 205–226
Test,
consensus of classifications, 1–13
permutation, 1–13
randomization, 205–226
statistical, 1–13
Testing nominal species boundaries using gene flow statistics: the taxonomy of two hybridizing admiral butterflies (*Limenitis*: Nymphalidae), Adam H. Porter, 131–147
Theta-rho analysis, 40–59
Thomomydoecus, 206, 224
minor, 198, 199, 204, 210, 213, 214
wardi, 198, 199, 204, 210, 213, 214
Thomomys, 198, 206, 224, 225
bottae, 199, 203, 209, 212, 214, 220, 242–252
talpoides, 199, 203, 209, 212, 214, 220
Thylogale, 11
Tracks and trees in the Antipodes: a reply to Humphries and Seberg, Roderic D. M. Page, 288–299
Transformation series analysis, 277–288
Tree,
asymmetry, 266–276
nested, 1–13
symmetry, 266–276
Tree balance, Kwang-Tsao Shao and Robert R. Sokal, 266–276
Trees,
Antipodes, 288–299
n-trees, 89–94
phylogenetic, 345–361, 383–390
Trichodectes octomaculatus, 197, 204
Trichodectidae, 196
Trilobites, 371–382
Trimma, 254, 255, 260
Trimmatom
eviotops, 254–257, 260
hoesei, 260

macropodus, 254, 256–258, 260–265
nanus, 253–265
naudei, 260
offucius, 253–265
sagma, 253–265
zapotes, 253, 254, 256–265
Trimmatom nanus species complex (Actinopterygii, Gobiidae): phylogeny and progenetic heterochrony, the, Richard Winterbottom, 253–265
Truncated development, 253–265
Two methods for calculating cladogram characters: transformation series analysis and the iterative FIG/FOG method, Diana L. Lipscomb, 277–288
Typhlops, 421
Tyrannidae, 369
Tyrannus
tyrannus, 366
verticalis, 364, 367, 369

Uniomerus declivis, 163, 164
Unionicola
alleni, 165
amandita, 165
bakeri, 165
bogani, 165
burchi, 165
calnani, 165
conroyi, 165
formosa, 163
fossulata, 163, 165
fulleri, 165
gailae, 165
gordoni, 165
gowani, 165
guilloryi, 165
hendrixi, 165
hoesei, 165
kavanaghi, 165
lasellai, 162–165
parkeri, 165
poundsi, 162–165
sakantaka, 165
scutella, 165
stricta, 165
tupara, 165
vamana, 165
vikitra, 165
vikitrella, 165
UPGMA, 205–226
Uroderma bilobatum, 242–252
Ursidae, 235

Variance, interspecific, 109–123
Variation, 31–39
Villosa villosa, 163, 164
Viverridae, 235
Vogl, C., and G. P. Wagner, Interspecific variability in randomly evolving clades: models for testing hypotheses on the relative evolutionary flexibility of quantitative traits, 109–123

Wagner, G. P., see Vogl, C., and —
Wallabia, 10
Welsh, Charles J., see Raikow, Robert J., —
White, C. S., B. Michaux, and D. M. Lambert, Species and neo-Darwinism, 399–413
White, C. S., see Michaux, B., —
Whitehead, Peter, Systematics: an endangered species, 179–184
Willmer, Pat, Invertebrate relationships: patterns in animal evolution (rev.), 301–303
Winterbottom, Richard, The *Trimmatom nanus* species complex (Actinopterygii, Gobiidae): phylogeny and progenetic heterochrony, 253–265

Xiphophorus, 205
alvarezi, 292

Zink, Robert M., and John C. Avise, Patterns of mitochondrial DNA and allozyme evolution in the avian genus *Ammodramus*, 148–161
Zonotrichia, 156
leucophrys, 135, 136